방 IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No. 6,958,257 B2 Ratent Issue Date October 25, 2005 Application Serial No. 10/053,201 Filing DateJanuary 15, 2002 Assignee Honeywell International Inc. Attorney's Docket No.JM34593.62071 CON.1 Title: Tantalum Sputtering Target and Method of Manufacture

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT **FOR PTO MISTAKE (37 C.F.R. 1.322(a))**

To:

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

ATTN:

Decision and Certificate of Correction Branch of the Patent Issue Division

From:

James E. Lake (Tel. 509-624-4276; Fax 509-838-3424)

Wells St. John P.S.

601 W. First Avenue, Suite 1300

Spokane, WA 99201-3828

Sir:

It is hereby requested that a Certificate of Correction be issued with respect to Patent No. 6,958,257 B2, granted October 25, 2005, in accordance with the Certificate of Correction form attached hereto in duplicate.

The errors listed on the Certificate of Correction form were apparently incurred through the fault of the PTO as will be disclosed by the records of files in the Office, in particular, Applicant's amendment filed April 11, 2005.

Since this Certificate of Correction is being requested due to PTO errors, it is believed that no fee is due. However, in the event that a fee is required for issuance of this Certificate of Correction, please charge the fee specified under

Of Correction

37 C.F.R. § 1.20(a) to Deposit Account No. 23-0925. Please credit Deposit Account No. 23-0925 with any overpayment of the above fee.

Attached hereto, in duplicate is Form PTO-1050, with at least one copy being suitable for printing.

Respectfully submitted,

Dated: <u>21 May 3007</u>

By:

James E. Lake Reg. No. 44,854 PTO/SB/21 (09-06)

Approved for use through 03/31/2007, OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMPETED OF CO

TRANSMITTAL	Application Number	10/053,201 (U.S. Patent No. 6,958,257)
TRANSMITTAL	Filing Date	January 15, 2002 (issued October 25, 2005)
FORM	First Named Inventor	Harry Rosenberg
	Art Unit	2818
(to be used for all correspondence after initial filing)	Examiner Name	Phuc T. Dang
	Attorney Docket Number	IM34593 62071 CON 1

Total Number of Pages in This Submission				
ENCLOSURES (Check all that apply)				
Fee Transmittal Form	Drawing(s)	After Allowance Communication to TC		
Fee Attached	Licensing-related Papers	Appeal Communication to Board of Appeals and Interferences		
Amendment/Reply After Final Affidavits/declaration(s) Extension of Time Request Express Abandonment Request Information Disclosure Statement Certified Copy of Priority Document(s) Reply to Missing Parts/ Incomplete Application Reply to Missing Parts under 37 CFR 1.52 or 1.53	Petition Petition to Convert to a Provisional Application Power of Attorney, Revocation Change of Correspondence Address Terminal Disclaimer Request for Refund CD, Number of CD(s) Landscape Table on CD Remarks Customer No. 021567 Although there is no fee believed due, the Commfees under 37 C.F.R. 1.16 and 1.17 which may be 23-0925.	Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) Proprietary Information Status Letter Other Enclosure(s) (please Identify below): PTO Return Receipt Postcards (2); Request for Certificate of Correction - PTO Mistake; and Certificate of Correction in duplicate		
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT				
Firm Name Wells St. John P.S. Signature Printed name James E. Lake				
Date 21 Mar 35	Reg. No.	44,854		
CERTIFICATE OF TRANSMISSION/MAILING I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:				
Kalayov M. Zapplin				

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing he burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Racquel M. Esplin

Typed or printed name

Date

Page 1 of 6

PATENT NO.

: 6,958,257 B2

APPLICATION NO.: 10/053,201

DATED

: October 25, 2005

INVENTOR(S)

: Harry Rosenberg et al.

It is certified that an error or errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 2, U.S. PATENT DOCUMENTS, please insert:

--4,844,746 7/1989 Horman et al.-- before "4,922,531"

--6,454,994 9/2002 Wang-- after "6,348,139"

Column 3, line 67

Replace " K_2 Ta F_7 +5Na(l)=Ta(s)÷2KF+5NaF"

With $-K_2$ TaF₇+5Na(l)=Ta(s)+2KF+5NaF--

Column 6, line 65

Replace "About 350 grams of K₂TAF₇ was added to 595 cc of HF" With -- About 350 grams of K₂TaF₇ was added to 595 cc of HF--

Column 9, claim 20

Replace claim 20 with "A tantalum sputtering target blank comprising tantalum, less than 500 ppmw total metallic impurities, less than 5 ppm by weight (ppmw) molybdenum or tungsten and less than 3 ppmw niobium."

Column 9, claim 23

Replace claim 23 with "The blank of claims 20 comprising less than 5 ppmw molybdenum or tungsten."

> Page 1 of 6

Mailing Address of Sender:

James E. Lake Wells St. John P.S. 601 West First Avenue, Suite 1300 Spokane, WA 99201-3828

Patent No. <u>US 6,958,257 B2</u>

Page <u>2</u> of 6

PATENT NO.

: 6,958,257 B2

APPLICATION NO.: 10/053.201

DATED

: October 25, 2005

INVENTOR(S)

: Harry Rosenberg et al.

It is certified that an error or errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9, claim 25

Replace claim 25 with "A tantalum sputtering target blank comprising tantalum, less than 500 ppmw total metallic impurities, less than 5 ppmw each of molybdenum and tungsten, and less than 50 ppmw niobium.

Column 10, claim 29

Replace claim 29 with "A tantalum sputtering target blank comprising tantalum, less than 500 ppmw total metallic impurities, and less than 50 ppmw total of molybdenum. tungsten, and niobium."

Column 10, claim 39

Replace claim 39 with "A tantalum material comprising tantalum, less than 500 ppmw total metallic impurities, less than 5 ppmw molybdenum or tungsten and less than 3 ppmw niobium."

Column 10, claim 40

Replace claim 40 with "A tantalum material comprising tantalum, less than 500 ppmw total metallic impurities, less than 5 ppmw each of molybdenum or tungsten, and less than 50 ppmw niobium."

> Page 2 of 6

Mailing Address of Sender:

James E. Lake Wells St. John P.S. 601 West First Avenue, Suite 1300 Spokane, WA 99201-3828

Patent No. US 6,958,257 B1

MAR 2 9 2007.

Page <u>3</u> of 6

PATENT NO.

: 6.958.257 B2

APPLICATION NO.: 10/053,201

DATED

: October 25, 2005

INVENTOR(S)

Harry Rosenberg et al.

It is certified that an error or errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, claim 41

Replace claim 41 with "A tantalum material comprising tantalum, less than 500 ppmw total metallic impurities, and less than 50 ppmw total of molybdenum, tungsten, and niobium."

Column 10, claim 42

Replace claim 42 with "A tantalum material sputtering precursor comprising tantalum, less than 500 ppmw total metallic impurities, less than 5 ppmw molybdenum or tungsten and less than 3 ppmw niobium."

Column 10, claim 43

Replace claim 43 with "A tantalum material sputtering precursor comprising tantalum, less than 500 ppmw total metallic impurities, less than 5 ppmw each of molybdenum and tungsten, and less than 50 ppmw niobium."

Column 10, claim 44

Replace claim 44 with "A tantalum material sputtering precursor comprising tantalum, less than 500 ppmw total metallic impurities, and less than 50 ppmw total of molybdenum, tungsten, and niobium."

> Page 3 of 6

Mailing Address of Sender:

James E. Lake Wells St. John P.S. 601 West First Avenue, Suite 1300 Spokane, WA 99201-3828

Patent No. US 6,958,257 B1

Page <u>4</u> of <u>6</u>

PATENT NO. : 6,958,257 B2

APPLICATION NO.: 10/053,201

DATED

: October 25, 2005

INVENTOR(S)

: Harry Rosenberg et al.

It is certified that an error or errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, claim 45

Replace claim 45 with "Sputtered tantalum material comprising tantalum, less than 500 ppmw total metallic impurities, less than 5 ppmw molybdenum or tungsten and less than 3 ppmw niobium."

Column 10, claim 46

Replace claim 46 with "Sputtered tantalum material comprising tantalum, less than 500 ppmw total metallic impurities, less than 5ppmw each of molybdenum and tungsten, and less than 50 ppmw niobium."

Column 10, claim 47

Replace claim 47 with "Sputtered tantalum material comprising tantalum, less than 500 ppmw total metallic impurities, and less than 50 ppmw total of molybdenum, tungsten, and niobium."

Column 10, claim 48 Please delete claim 48.

Column 10, claim 49 Please delete claim 49.

> Page 4 of 6

Mailing Address of Sender:

James E. Lake Wells St. John P.S. 601 West First Avenue, Suite 1300 Spokane, WA 99201-3828

Patent No. US 6,958,257 B1

Page <u>5</u> of <u>6</u>

PATENT NO. : 6,958,257 B2

APPLICATION NO.: 10/053,201

DATED

: October 25, 2005

INVENTOR(S) : Harry Rosenberg et al.

It is certified that an error or errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, claim 50 Please delete claim 50.

Column 10, claim 56

Replace claim 56 with "The ingot of claim 55 comprising tantalum and less than 3 ppmw each of molybdenum and tungsten."

Column 12, claim 57

Replace claim 57 with "A powder comprising high purity tantalum comprising high purity tantalum, less than about 500 ppmw total metallic impurities, less than about 50 ppm. by weight, nobium, and less than about 50 ppmw tungsten or molybdenum.

Column 12, please insert claim 60 as follows:

"The powder of claim 59 comprising less than 3 ppmw molybdenum or tungsten."

Column 12, please insert claim 61 as follows:

"A powder comprising tantalum, less than about 500 ppmw total metallic impurities, and less than 5 ppmw each of molybdenum and tungsten."

> Page 5 of 6

Mailing Address of Sender:

James E. Lake Wells St. John P.S. 601 West First Avenue, Suite 1300 Spokane, WA 99201-3828

Patent No. <u>US 6,958,257 B1</u>

Page <u>6</u> of <u>6</u>

PATENT NO.

: 6,958,257 B2

APPLICATION NO.: 10/053,201

DATED

: October 25, 2005

INVENTOR(S)

: Harry Rosenberg et al.

It is certified that an error or errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12, please insert claim 62 as follows:

"The powder of claim 61 comprising less than 3 ppmw each of molybdenum and tungsten."

> Page 6 of 6

Mailing Address of Sender:

James E. Lake Wells St. John P.S. 601 West First Avenue, Suite 1300 Spokane, WA 99201-3828

Patent No. US_6,958,257 B1

[2 9 2007 |

Page _1 of __6

PATENT NO. : 6,958,257 B2

APPLICATION NO.: 10/053,201

DATED

: October 25, 2005

INVENTOR(S)

: Harry Rosenberg et al.

It is certified that an error or errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Page 2, U.S. PATENT DOCUMENTS, please insert:

- --4,844,746 7/1989 Horman et al.-- before "4,922,531"
- --6,454,994 9/2002 Wang-- after "6,348,139"

Column 3, line 67

Replace " K_2 Ta F_7 +5Na(l)=Ta(s)÷2KF+5NaF"

With $--K_2TaF_7+5Na(l)=Ta(s)+2KF+5NaF--$

Column 6, line 65

Replace "About 350 grams of K₂TAF₇ was added to 595 cc of HF"

With -- About 350 grams of K₂TaF₇ was added to 595 cc of HF--

Column 9, claim 20

Replace claim 20 with "A tantalum sputtering target blank comprising tantalum, less than 500 ppmw total metallic impurities, less than 5 ppm by weight (ppmw) molybdenum or tungsten and less than 3 ppmw niobium."

Column 9, claim 23

Replace claim 23 with "The blank of claims 20 comprising less than 5 ppmw molybdenum or tungsten."

> Page 1 of 6

Mailing Address of Sender:

James E. Lake Wells St. John P.S. 601 West First Avenue, Suite 1300 Spokane, WA 99201-3828

Patent No. <u>US 6,958,257 B2</u>

MM 2 9 2007

Page _2 of _6

PATENT NO. : 6,958,257 B2

APPLICATION NO.: 10/053,201

DATED

: October 25, 2005

INVENTOR(S)

: Harry Rosenberg et al.

It is certified that an error or errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9, claim 25

Replace claim 25 with "A tantalum sputtering target blank comprising tantalum, less than 500 ppmw total metallic impurities, less than 5 ppmw each of molybdenum and tungsten, and less than 50 ppmw niobium.

Column 10, claim 29

Replace claim 29 with "A tantalum sputtering target blank comprising tantalum, less than 500 ppmw total metallic impurities, and less than 50 ppmw total of molybdenum, tungsten, and niobium."

Column 10, claim 39

Replace claim 39 with "A tantalum material comprising tantalum, less than 500 ppmw total metallic impurities, less than 5 ppmw molybdenum or tungsten and less than 3 ppmw niobium."

Column 10, claim 40

Replace claim 40 with "A tantalum material comprising tantalum, less than 500 ppmw total metallic impurities, less than 5 ppmw each of molybdenum or tungsten, and less than 50 ppmw niobium."

> Page 2 of 6

Mailing Address of Sender:

James E. Lake Wells St. John P.S. 601 West First Avenue, Suite 1300 Spokane, WA 99201-3828

Patent No. <u>US 6,958,257 B1</u>

2 S:\HO58\068\COC.doc PAT-US\CR-01

Page <u>3</u> of <u>6</u>

PATENT NO.

: 6,958,257 B2

APPLICATION NO.: 10/053,201

DATED

: October 25, 2005

INVENTOR(S)

: Harry Rosenberg et al.

It is certified that an error or errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, claim 41

Replace claim 41 with "A tantalum material comprising tantalum, less than 500 ppmw total metallic impurities, and less than 50 ppmw total of molybdenum, tungsten, and niobium."

Column 10. claim 42

Replace claim 42 with "A tantalum material sputtering precursor comprising tantalum." less than 500 ppmw total metallic impurities, less than 5 ppmw molybdenum or tungsten and less than 3 ppmw niobium."

Column 10, claim 43

Replace claim 43 with "A tantalum material sputtering precursor comprising tantalum, less than 500 ppmw total metallic impurities, less than 5 ppmw each of molybdenum and tungsten, and less than 50 ppmw niobium."

Column 10, claim 44

Replace claim 44 with "A tantalum material sputtering precursor comprising tantalum, less than 500 ppmw total metallic impurities, and less than 50 ppmw total of molybdenum, tungsten, and niobium."

> Page 3 of 6

Mailing Address of Sender:

James E. Lake Wells St. John P.S. 601 West First Avenue, Suite 1300 Spokane, WA 99201-3828

Patent No. <u>US 6,958,257 B1</u>

? 2 9 2007

Page 4 of 6

PATENT NO.

: 6.958.257 B2

APPLICATION NO.: 10/053,201

DATED

: October 25, 2005

INVENTOR(S)

: Harry Rosenberg et al.

It is certified that an error or errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, claim 45

Replace claim 45 with "Sputtered tantalum material comprising tantalum, less than 500 ppmw total metallic impurities, less than 5 ppmw molybdenum or tungsten and less than 3 ppmw niobium."

Column 10, claim 46

Replace: claim 46 with "Sputtered tantalum material comprising tantalum, less than 500 ppmw total metallic impurities, less than 5ppmw each of molybdenum and tungsten, and less than 50 ppmw niobium."

Column 10, claim 47

Replace claim 47 with "Sputtered tantalum material comprising tantalum, less than 500 ppmw total metallic impurities, and less than 50 ppmw total of molybdenum, tungsten, and niobium."

Column 10, claim 48 Please delete claim 48.

Column 10, claim 49 Please delete claim 49.

> Page 4 of 6

Mailing Address of Sender:

James E. Lake Wells St. John P.S. 601 West First Avenue, Suite 1300 Spokane, WA 99201-3828

Patent No. US 6,958,257 B1

Page 5 of 6

PATENT NO.

: 6,958,257 B2

APPLICATION NO.: 10/053,201

DATED

: October 25, 2005

INVENTOR(S)

: Harry Rosenberg et al.

It is certified that an error or errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, claim 50 Please delete claim 50.

Column 10, claim 56

Replace claim 56 with "The ingot of claim 55 comprising tantalum and less than 3 ppmw each of molybdenum and tungsten."

Column 12, claim 57

Replace claim 57 with "A powder comprising high purity tantalum comprising tantalum, less than about 500 ppmw total metallic impurities, less than about 50 ppm. by weight, nobium, and less than about 50 ppmw tungsten or molybdenum.

Column 12, please insert claim 60 as follows:

"The powder of claim 59 comprising less than 3 ppmw molybdenum or tungsten."

Column 12, please insert claim 61 as follows:

"A powder comprising tantalum, less than about 500 ppmw total metallic impurities, and less than 5 ppmw each of molybdenum and tungsten."

> Page 5 of 6

Mailing Address of Sender:

James E. Lake Wells St. John P.S. 601 West First Avenue, Suite 1300 Spokane, WA 99201-3828

Patent No. <u>US 6,958,257 B1</u>

MAR 2 9 2007.

Page 6 of 6

PATENT NO. : 6,958,257 B2

APPLICATION NO.: 10/053,201

DATED

: October 25, 2005

INVENTOR(S) : Harry Rosenberg et al.

It is certified that an error or errors appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12, please insert claim 62 as follows:

"The powder of claim 61 comprising less than 3 ppmw each of molybdenum and tungsten."

> Page 6 of 6

Mailing Address of Sender:

James E. Lake Wells St. John P.S. 601 West First Avenue, Suite 1300 Spokane, WA 99201-3828

Patent No. <u>US 6,958,257 B1</u>